## 3 (Sem-5/CBCS) CHE HE 4/HE 5/HE 6

## 2022

#### CHEMISTRY

(Honours Elective)

Answer the Questions from any one Option.

#### OPTION-A

(Novel Inorganic Solids)

Paper: CHE-HE-5046

## OPTION-B

(Polymer Chemistry)

Paper: CHE-HE-5056

## OPTION-C

(Instrumental Methods of Chemical Analysis)

Paper: CHE-HE-5066

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

#### OPTION-A

## (Novel Inorganic Solids)

Paper: CHE-HE-5046

- 1. Answer the following questions: (any seven)

  1×7=7
  - (a) Which one of the following is not an example for top-down approach?
    - (i) Ball milling technique
    - (ii) Sol-gel process
    - (iii) Lithography
    - (iv) Gas phase agglomeration
  - (b) Which of the following is a non-oxide ceramic?
    - (i) Alumina
    - (ii) Zirconia
    - (iii) Carbide
    - (iv) Fiber-reinforced
  - (c) Give an example for nanowires of metals.
  - (d) What are composite materials?

(e) 'Alumina' comes under the category of traditional ceramics.

(State True or False)

- (f) What is meant by plain carbon steel?
- (g) What is the percentage of Cu and Sn in bronze alloy?
- (h) What is the major load career in dispersion-strengthened composites?
- (i) Which metal nanoparticle is extensively used as a catalyst?
- (j) Which alloy of aluminum is used in the construction of aircraft?
- (k) Titanium (IV) oxide (TiO<sub>2</sub>) is a \_\_\_\_\_ pigment. (Fill in the blank)
- (l) \_\_\_\_\_ is the field in which the nanoparticles are used with silica coated iron oxide.

  (Fill in the blank with appropriate option)
  - (i) Magnetic application
  - (ii) Electronic
  - (iii) Medical diagnosis
  - (iv) Structural analysis

## · 2. Answer the following: (any four)

 $2 \times 4 = 8$ 

- (a) What makes a molecule magnetic?
- (b) What are natural and artificial nanoparticles?
- (c) What is a one-dimensional metal? Give examples.
- (d) What are the different techniques used for the synthesis of carbon nanotubes?
- (e) What do you understand by conventional heat and beat methods?
- (f) What are metal-containing liquid crystals? Give examples.
- (g) What are the raw materials of ceramic tile? Give their percentage.
- (h) What is the molecular structure of carbon nanotubes?

# 3. Answer any three of the following:

5×3=15

(a) What are SSEs? Give suitable examples. What are their advantages over other electrolytes? 2+1+2=5

- (b) What do you mean by self-assembled nanostructures? How are these nanoarchitectures controlled? 2+3=5
- matrix composite (MMC)? Discuss the manufacturing methods of these materials. 2+3=5
- (d) What are refractories? How are they classified on the basis of their melting points? What are the primary reasons behind using refractories? 1+2+2=5
- (e) What is a ceramic coating? How do they work? 2+3=5
- (f) Discuss the basic working principle of Li ion battery.
- (g) Distinguish between thermoplastics and thermosets.
- (h) Discuss the advantages and disadvantages of polymer matrix composites. 2½+2½=5

- 4. Answer any three of the following questions: 10×3=30
  - (a) (i) Discuss the co-precipitation and sol-gel methods used in the syntheses of inorganic solids.

21/2+21/2=5

- (ii) Discuss the intercalation method giving suitable example. 5
- (b) Write notes on the following:

2½×4=10

- (i) Fullerides
- (ii) Black pigments
- (iii) Bionano composites
- (iv) Intercalation method
- (c) (i) What do you mean by reinforcement ratio? Discuss the effect of reinforcement ratio on the structure of composite material.

2+3=5

- (ii) Discuss the applications of fibre-reinforced composites.
- (d) What do you mean by DNA nanotechnology? Discuss the biological applications of DNA nanomaterials.

4+6=10

- (e) What are alloys? Discuss the various types of copper alloys and give their applications. 2+8=10
- (f) Discuss the composition, mechanical characteristics and applications of various types of cast irons.
- (g) Discuss the methods of preparation of Au and Ag nanoparticles. 5+5=10
- (h) Discuss the application of nanomaterials in medicine.

### OPTION-B

## (Polymer Chemistry)

Paper: CHE-HE-5056

- 1. Answer any seven of the following questions: 1×7=7
  - (i) Bakelite is condensation polymer of
    - (a) phenol and urea
    - (b) phenol and formaldehyde
    - (c) urea and formaldehyde
    - (d) urea and melamine
  - (ii) In cationic polymerization, termination occurs by
    - (a) rearrangement
    - (b) chain transfer
    - (c) coupling
    - (d) both rearrangement and chain transfer
  - (iii) Surfactants used in emulsion polymerization are
    - (a) anionic
    - (b) cationic
    - (c) non-ionic
    - (d) All of the above

- (iv) Which of the following polymers is more amorphous?
  - (a) Isotactic
  - (b) Atactic
  - (c) Syndiotactic
  - (d) All of the above
- (v) For solubility of a polymer in a solvent  $\Delta G$  must be
  - (a) positive
  - (b) negative
  - (c) zero
  - (d) infinite
- (vi) Which one of the following pairs is not correctly matched?
  - (a) Terylene-Condensation polymer of terepthalic acid and ethylene glycol
  - (b) Teflon-Thermally stable crosslinked polymer of phenol and formaldehyde
  - (c) Perspex-a homopolymer of methyl methacrylate
  - (d) Synthetic rubber-a copolymer of butadiene and styrene

- (vii) Which is/are true for elastomers?
  - (a) These are synthetic polymers possessing elasticity
  - These possess very weak intermolecular forces of attractions between polymer chains
  - Vulcanised rubber is an example of elastomer
  - All of the above
- (viii) PDI for natural polymer is generally close to
  - (a) zero
  - 100

  - (d) 50
- The catalyst used in the manufacture (ix) of polythene by Ziegler method is
  - (a) Titanium tetrachloride and triphenyl aluminium
  - Titanium tetrachloride and triethyl aluminium
  - Titanium oxide (c)
  - Titanium isopropoxide (d)

10

- Bunna S is a natural rubber. (x) (True / False)
- (xi) Light scattering method is used for the determination of osmotic pressure of (True | False) polymers.
- (xii) The Flory-Huggins theory explains the miscibility of a polymer with solvent. (True / False)
- Answer any four of the following questions:  $2 \times 4 = 8$ 
  - What are initiators in chain growth polymerization? Give one example.
  - What do you mean by high density polyethylene (HDPE)? Write its one application.
  - (iii) Write the brand name of polytetraflouroethylene (PTFE). Explain its behaviour on heating.
  - (iv) Why are silicones called inorganic polymer?
  - What are polycarbonates? Write one method of its preparation.

- (vi) What is meant by living and dead polymer?
- (vii) Define the term 'super fibre' with an example.
- (viii) How do you explain functionality of a polymer?
- 3. Answer **any three** of the following questions: 5×3=15
  - (i) Identify A-E in the following polymeric reactions:

(a) 
$$H_3O^+$$

- (b) B 250°C Nylon-6
- (c) HC≡CH + HCI HgCl<sub>2</sub> activated charcoal 90-100°C
- (d) D Polymerization Poly(vinyl Chloride)
- (e) n[H<sub>2</sub>C=CF<sub>2</sub>] Polymerization E

12

(ii) Give the method of preparation of the following polymers: (any two)

 $2.5 \times 2 = 5$ 

- (a) Nylon 6,6
- (b) Buna-S
- . (c) Polystyrene
- (iii) Mention two conditions for a polymer to be conducting. Explain the conducting behaviour of polyaniline (PANI). 2+3=5
- (iv) Explain with examples the practical significances of copolymerization. Write the differences between graft and block copolymers.

  3+2=5
- (v) Show with suitable examples the classification of polymer on the basis of tacticity. Describe briefly how crystallinity of a polymer is related to its tacticity.

  3+2=5
- (vi) Explain with suitable example the radical mechanism of chain growth polymerization.

- (vii) Discuss the kinetics of condensation polymerization.
- (viii) What are acrylic polymers? Give an account of different acrylic polymers, their formation, properties and uses.

2+3=5

- 4. Answer **any three** of the following questions: 10×3=30
  - (i) What are coordination polymers? Explain the detailed mechanism of Ziegler-Natta polymerization of propylene. How can you explain the source of stereoregularity in the formation of isotactic polypropylene using Ziegler-Natta catalyst?

2+6+2=10

(ii) Discuss the basic principle of bulk polymerization. Briefly outline the advantages and disadvantages of bulk polymerization. What are the differences between suspension and emulsion polymerization?

3+3+4=10

(iii) Differentiate between addition and condensation polymers. What are the different types of mechanism by which chain-growth polymerization proceeds? For a monomer of general structure  $CH_2 = CHX$ , complete the following table. Put '+' if the monomer can be polymerized by the method mentioned at the top of the column, and '-' if polymerization by the method is not feasible. Briefly justify your answer.

3+2+5=10

X	Free radical	Anionic	Cationic
-CN	military rightmin	10160	
-Ph	STREET STREET	min arena	9.V
-ОСН3			

- (iv) What are crystalline polymers? What are the different factors which affect degree of crystallinity? Differentiate between crystalline and amorphous polymers. Define functionality of a monomer. 2+4+2+2=10
- (v) What are the factors that affect the solubility of polymers? Derive an expression for enthalpy change and free energy change of mixing of polymers. What are the assumptions of Flory-Huggins theory? 3+4+3=10

(vi) Define number average molecular weight and weight average molecular weight. Explain osmotic pressure methods to determine molecular weight of the polymers. A box of mangoes contains sets A, B, and C with their numbers and weight as shown below:

> Set A: 30 mangoes with weight of each mango 200gm

> Set B: 20 mangoes with weight of each mango 300gm

> Set C: 40 mangoes with weight of each mango 100gm

Calculate number average molecular weight (Mn) for the mangoes.

2+5+3=10

- (vii) Give a detailed account of thermal properties of polymers. Give a detailed account on preparations, properties and uses of various phenol formaldehyde resins. 4+6=10
- (viii) Explain kinetic chain length in free radical polymerization and derive equation of rate of polymer formation. Discuss the effect of temperature on chain polymerization. 8+2=10

16

### OPTION-C

## (Instrumental Methods of Chemical Analysis)

Paper: CHE-HE-5066

Answer any seven questions:  $1 \times 7 = 7$ 

- The typical range of visible radiation is
  - 200-400 nm (i)
  - 400-700 nm (ii)
  - 700-1100 nm (iii)
  - (iv) 1100-1600 nm
- Define the term precision of a (b) measurement.
- Colorimetric determination of Cu2+, a (c) supplied sample, is an instrumental method. (State whether True or False)
- In which of the following instruments (d) ZnSe (Zinc selenide) is used as detector?
  - UV-visible spectrometer (i)

- NMR spectrometer (ii)
- X-ray diffractometer (iii)
- (iv) IR spectrometer
- What is diffraction grating? (e)

- (f) What is fluorescent tag?
- (g) Which of the following quantities are displayed in a typical mass spectrum?
  - (i) Absorbance vs wavelength
  - (ii) Transmittance vs wavenumber
  - (iii) Counts vs m/z
  - (iv) Counts vs ppm
- (h) Which of the following materials is used in column chromatography?
  - (i) Silica gel
  - (ii) Activated charcoal
  - (iii) KBr
  - (iv) CDCl3
- (i) Argon can be used as a carrier gas in gas chromatography.

  (State whether True or False)
- (j) Which of the following methods is used in combination with a separation method to develop a hyphenated technique?
  - (i) NMR spectroscopy
  - (ii) Mass spectroscopy
  - (iii) Polarography
  - (iv) Potentiometry

- (k) Which of the following solvents is used in NMR spectroscopy?
  - (i) CD<sub>3</sub>OD
  - (ii) CH<sub>3</sub>OH
  - (iii) H2O
  - (iv) CH3CN
- (l) How many <sup>1</sup>H-NMR signal is observed for cyclohexane?
- 2. Answer **any four** from the following: 2×4=8
  - (a) Why are liquid  $N_2$  and He used in NMR spectrometers?
  - (b) Convert 1eV to kJmol-1.
  - (c) What are the advantages of a double-beam spectrometer over single-beam spectrometer?
  - (d) Why is three-electrode setup used in cyclic voltametry?
  - (e) What information can be obtained from mass spectrometry?

- What is the advantage of coupling (f) gas chromatography with mass spectrometry?
- What are the disadvantages of neutron (g) activation methods?
- Answer the following : (any three) 3.

 $5 \times 3 = 15$ 

- Describe the sample preparation techniques in FT-IR spectroscopy.
- Discuss the principle of XPES. (b)
- What are different decay processes of (c) radioactive isotopes? Discuss.
- Write briefly about the laminar flow (d) burner. What are the advantages and disadvantages of this type of burner?
- Write a note on DNA gel electrophoresis. (e)
- Give a schematic diagram of a single-(f) beam UV visible spectrometer and briefly explain its various components.
- What are different types of interference (q) observed in atomic absorption spectroscopy?

- (h) Describe the advantages of using Fourier transform than dispersive measurement in the infrared.
- Answer any three from the following: 10×3=30
  - Give a brief account for neutron (a) (i) activation analysis. What are the advantages and utilities of the techniques? 2+3=5
    - Describe the different types of interactions of  $\gamma$ -radiation with matter.
  - How does electromagnetic radiation (b) (i) interact with matter? Explain by showing different energy terms associated with a molecule.
    - Write five causes for deviation of (ii) Beer-Lambert law.
  - What is the most common source (c) (i) used in UV-visible spectrometer? Which parameter affect in the emitting capacity of a source?

1+1=2

- (ii) What are the types of filters used in optical instruments? Write briefly.
- (iii) What is the purpose of using monochromator in spectrometer?
  What are dispersing units in monochromator?
- (iv) Describe the photovoltaic cell with schematic diagram.
- (d) (i) What are determinate and indeterminate errors? Name three types of determinate errors.

2+3=5

- (ii) What is normal error curve?

  Describe the salient features of the normal error curve.

  2+3=5
- (e) (i) What are the factors that favours separation of a constituent from a mixture by solvent extraction process? Briefly discuss each.

6

(ii) From a solution containing nickel and iron in microquantities, how can you separate nickel by solvent extraction? Then how will you estimate nickel spectrophotometrically?

- (f) (i) How is chromatography used for qualitative and quantitative analyses?
  - (ii) What are retention time and retention volume in gas chromatography? 1½×2=3
  - (iii) Draw the schematic diagram showing the important component of GLC experiment.
- (g) Draw a block diagram showing the major component of high performance liquid chromatography (HPLC) instrument and explain briefly the functions of each component.
- (h) (i) Define chemical shift. What are the factors affecting the chemical shift?
  - (ii) How is separation of ions done in case of time of flight (TOF) mass analyser? Discuss the theory involved in it.
  - (iii) Describe briefly electrospray ionization [ESI) method. 2