3 (Sem-4/CBCS) CHE HC 1

2024

CHEMISTRY

(Honours Core)

Paper: CHE-HC-4016

(Inorganic Chemistry-III)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

1. Answer the following:

 $1 \times 7 = 7$

- (i) In transitional metal complexes the metal acts as
 - (a) Lewis acids
 - (b) Lewis bases
 - (c) Neutral compounds
 - (d) Amphoteric compounds (Choose the correct answer)

- (ii) Which oxidation state of Arsenic is most toxic?
- In which one of the following species does the transition metal ion have d^3 electronic configuration?
 - (a) $\left[Cr(NH_3)_6 \right]^{3+}$ (b) $\left(Co(OH_2)_6 \right)^{2+}$

 - (c) $[CoF_6]^{3-}$
 - (d) $[Fe(CN_{6})]^{3+}$

(Choose the correct answer)

- (iv) What are macrocyclic ligands? Give one example.
- Write the general valence shell electronic configuration of group 6 elements of the periodic table.
- In EDTA, total number of chelating rings are
 - (a) 5
 - (b)

 - (d) 6

(Choose the correct answer)

- (vii) Carbonic anhydrase is a zinc enzyme that catalyses the
 - (a) hydrolysis of the terminal peptide bond of a peptide chain
 - hydration of CO2 and dehydration of carbonic acid
 - binding of dioxygen to haemoglobin
 - (d) None of the above processes (Choose the correct answer)
- Answer the following:

 $2 \times 4 = 8$

- (i) " Cu^{2+} ions are coloured paramagnetic, whereas Zn^{2+} ions are colourless and diamagnetic." Explain why.
- Draw the geometrical isomers of $\left[Cr Cl_2(en)_2 \right]^{2+}$ and state whether they are optically active or not.
- Write the full name and formula of the ligands whose abbreviations are given below:

dmg, acac, phen, edta

- (iv) How does Latimer diagram help to examine the thermodynamic feasibility of a species for disproportionation?
- 3. Answer **any three** questions from the following: 5×3=15
 - (i) "Transition metals act as good catalysts".

 Explain with proper reasons. Write the name of the transition metal which is used as catalyst in the Haber's process for synthesis of ammonia. 4+1=5
 - (ii) Discuss the mechanism of dioxygen binding and release by haemoglobin.
 - (iii) "Octahedral complexes are more stable and more common than tetrahedral complexes." Explain.
 - (iv) What is lanthanide contraction? What causes lanthanide contraction? Why the lanthanides do not form oxocations?
 - (v) Discuss the magnetic character of square planer d⁸ complexes with the help of crystal field theory.

- 4. Answer the following questions: $10 \times 3 = 30$
 - (i) Either
 - (a) The pairing energy for Mn^{3+} is $28,000 \ cm^{-1}$. The Δ_0 for the complexes $\left[Mn(H_2O)_6\right]^{3+}$ and $\left[Mn(CN)_6\right]^{3-}$ are 15,800 cm^{-1} and $38,500 \ cm^{-1}$ respectively. From these values identify the high-spin and low-spin complexes and write the electronic configuration.

from pyrolusite ore. How does acidified permanganate solution react with the following species?

Write the ionic equation for the reactions.

2+3=5

- (i) Fe^{2+} ions
- (ii) Oxalic acid
- (c) "The third ionization enthalpy of manganese is very high." Explain why.

3

- (d) Why is the separation of lanthanides difficult? Discuss the ion exchange method for the separation of lanthanides. 2+4=6
- (e) "Actinides have greater tendency to form complexes than lanthanides."Explain why.

(ii) Either

(a) Explain the origin of Jahn-Teller distortion by crystal field theory. What are the conditions for Jahn-Teller distortion in the tetrahedral and octahedral complexes?

4+1+1=6

- (b) Compare the Jahn-Teller distortions in Ni(II) and Cu(II).
- (c) Explain why trans- $\left[Cu(en)_2 (H_2O)_2 \right]^{2+}$ is more stable than $cis-\left[Cu(en)_2 (H_2O)_2 \right]^{2+}.$ 2

- (d) Write the general mechanisms by which a toxic metal can attack the human body. Give an account of the toxicity due to lead and mercury.

 3+2+2=7
- (e) "Excess as well deficiency of an essential metal is harmful to human body." Justify the statement with an example.

(iii) Either

- (a) Assign suitable reasons for the following:
 - I. The Mn^{2+} compounds are more stable than Fe^{2+} towards oxidation to their +3 state.
 - II. In the 3d series, the enthalpy of atomization of Zn^{2+} is the lowest.
 - III. Sc^{3+} is colourless in aqueous solution whereas Ti^{3+} is coloured.

- IV. CrO is basic, Cr_2O_3 is amphoteric and CrO_3 is acidic in nature.
- V. $\left[Co(NH_3)_6 \right]^{3+}$ is more stable than $\left[Co(NH_3)_6 \right]^{2+}$. 2

Or

- (b) How are essential metals in biological system classified? Mention each class with definition and write the name of each element present in it.
- (c) What is Na/K pump? Discuss the functioning of Na/K pump. 5